

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

Claims 1-10 (canceled).

Claim 11 (currently amended): A roll type transdermal patch roll comprising[[:]]:  
a dispenser core, said dispenser core having a pair of edges;  
a tape patch wound around the dispenser core, the tape patch comprising  
a flexible tape type support comprising a stretchable knitted fabric,  
stretchable woven fabric or stretchable non-woven fabric composed of polyethylene  
terephthalate resin or polybutylene terephthalate resin, wherein the support is 0.01 - 5  
mm thick,

a continuous adhesive layer containing a drug having percutaneous  
absorption function, and laminated on all over one side surface of the flexible tape type  
support,

a covering layer laminated in a releasable manner on one side of the  
adhesive layer, wherein the covering material is 25 - 120  $\mu$ m,

a plurality of tear off cutting lines formed in the flexible tape type support  
and said covering layer along a direction crossing a longitudinal direction of the tape type  
patch, and having a pair of side edges; and

a pair of side covers attached to both edges of said dispenser core and covering  
both edge sides of the wound tape patch,

the tear off cutting lines being located at positions so as to extend through the  
flexible tape type support and the adhesive layer, wherein the tear off cutting lines are in  
a direction perpendicular relative to the one side surface of the flexible tape type support,  
and the position of the tear off cutting lines provided in the support layer are  
substantially identical to that of the tear off cutting lines provided in the covering layer in  
the direction perpendicular relative to the one side surface of the flexible tape type  
support, and wherein tear off cutting lines consist of perforation slits, with a slit width of

1.0 - 2.0 mm and a slit spacing of 1.0 - 1.5 mm, and the breaking strength when the external patch is torn off at the slits is 7.36 - 15.24 kgf/48 mm width.

Claim 12 (previously presented): A roll type transdermal patch according to claim 11, wherein each of the side covers is formed of polyacrylonitrile resin or polyethylene terephthalate resin, and

the dispenser core is formed of one selected from the group consisting of polyethylene terephthalate resin, polyacrylonitrile resin, high-density polyethylene resin and polypropylene resin.

Claim 13 (previously presented): The roll type transdermal patch according to claim 11, wherein each of the side covers is formed from polyacrylonitrile resin, and the dispenser core is formed from polyethylene terephthalate resin or polyacrylonitrile resin.

Claim 14 (canceled).

Claim 15 (previously presented): The roll type transdermal patch according to claim 11, wherein the covering layer is made of polyethylene terephthalate resin.

Claim 16 (canceled).

Claim 17 (canceled).

Claim 18 (canceled).

Claim 19 (canceled).

Claim 20 (currently amended): A roll type transdermal patch roll comprising[[;]]:

a dispenser core; and

a tape patch wound around the dispenser core, the tape patch comprising:

a flexible tape type support comprising a stretchable knitted fabric, stretchable woven fabric or stretchable non-woven fabric composed of polyethylene terephthalate resin or polybutylene terephthalate resin, wherein the support is 0.01 - 5 mm thick,

a continuous adhesive layer laminated on all over one side surface of the support, and containing a drug having percutaneous absorption function,

a covering layer laminated in a releasable manner on one side of the adhesive layer, wherein the covering material is 25 - 120  $\mu$ m, and

a plurality of tear off cutting lines formed in both of the flexible tape type support and said covering layer along a direction crossing a longitudinal direction of the tape patch, said tape patch having a pair of side edges,

wherein the tear off cutting lines are located at positions so as to extend through the flexible tape type support and the adhesive layer,

wherein the tear off cutting lines are in a direction perpendicular relative to the one side surface of the flexible tape type support, and the position of the tear off cutting lines provided in the support layer are substantially identical to that of the tear off cutting lines provided in the covering layer in the direction perpendicular relative to the one side surface of the tape support, and

wherein tear off cutting lines consist of perforation slits, with a slit width of 1.0 - 2.0 mm and a slit spacing of 1.0 - 1.5 mm, and the breaking strength when the external patch is torn off at the slits is 7.36 - 15.24 kgf/48 mm width.

Claim 21 (previously presented): The roll type transdermal patch according to claim 20, wherein each of the side covers is formed of polyacrylonitrile resin or polyethylene terephthalate resin, and

the dispenser core is formed of a resin selected from the group consisting of polyethylene terephthalate resin, polyacrylonitrile resin, high-density polyethylene resin and polypropylene resin.

Claim 22 (previously presented): The roll type transdermal patch according to claim 20, wherein each of the side covers is formed from polyacrylonitrile resin, and the dispenser core is formed from polyethylene terephthalate resin or polyacrylonitrile resin.

Claim 23 (previously presented): The roll type transdermal patch according to claim 20, wherein the covering layer is made of polyethylene terephthalate resin.

Claim 24 (canceled).

Claim 25 (canceled).

Claim 26 (canceled).

Claim 27 (canceled).

Claim 28 (currently amended): A roll type transdermal patch roll comprising:  
a core; and

a tape patch wound around the core, the tape patch comprising:

a tape type support comprising a stretchable knitted fabric, stretchable woven fabric or stretchable non-woven fabric composed of polyethylene terephthalate resin or polybutylene terephthalate resin, wherein the support is 0.01 - 5 mm thick,

a continuous adhesive layer laminated on all over one side surface of the support, and containing a drug having percutaneous absorption function,

a covering layer laminated in a releasable manner on one side of the adhesive layer, wherein the covering material is 25 - 120  $\mu\text{m}$ , and

a plurality of tear off cutting lines formed in both of the tape type support and said covering layer along a direction crossing a longitudinal direction of the tape patch, said tape patch having a pair of side edges,

wherein the tear off cutting lines are located at position so as to extend through the tape type support and the adhesive layer,

wherein the tear off cutting lines are in a direction perpendicular relative to the one side surface of the tape type support, and the position of the tear off cutting lines provided in the support layer are substantially identical to that of the tear off cutting

lines provided in the covering layer in the direction perpendicular relative to the one side surface of the tape support; and

wherein tear off cutting lines consist of perforation slits, with a slit width of 1.0 - 2.0 mm and a slit spacing of 1.0 - 1.5 mm, and the breaking strength when the external patch is torn off at the slits is 7.36 - 15.24 kgf/48 mm width.

Claim 29 (currently amended): A roll type transdermal patch roll comprising:  
a core; and

a tape patch wound around the core, the tape patch comprising:

a flexible tape type support comprising a stretchable knitted fabric, stretchable woven fabric or stretchable non-woven fabric composed of polyethylene terephthalate resin or polybutylene terephthalate resin, wherein the support is 0.01 - 5 mm thick,

an adhesive layer laminated on all over one side surface of the support, and containing a drug having percutaneous absorption function,

a covering layer laminated in a releasable manner on one side of the adhesive layer, wherein the covering material is 25 - 120  $\mu$ m, and

a plurality of tear off cutting lines formed in both of the flexible tape type support and said covering layer along a direction crossing a longitudinal direction of the tape patch, said tape patch having a pair of side edges,

wherein the tear off cutting lines are located at position so as to extend through the flexible tape type support and the adhesive layer,

wherein the tear off cutting lines are in a direction perpendicular relative to the one side surface of the flexible tape type support, and the position of the tear off cutting lines provided in the support layer are substantially identical to that of the tear off cutting lines provided in the covering layer in the direction perpendicular relative to the one side surface of the tape support; and

wherein tear off cutting lines consist of perforation slits, with a slit width of 1.0 - 2.0 mm and a slit spacing of 1.0 - 1.5 mm, and the breaking strength when the external patch is torn off at the slits is 7.36 - 15.24 kgf/48 mm width.

Claim 30 (currently amended): A roll type transdermal patch roll comprising:  
a core; and  
a tape patch wound around the core, the tape patch comprising:  
a tape type support comprising a stretchable knitted fabric, stretchable woven fabric or stretchable non-woven fabric composed of polyethylene terephthalate resin or polybutylene terephthalate resin, wherein the support is 0.01 - 5 mm thick,  
an adhesive layer laminated on all over one side surface of the support, and containing a drug having percutaneous absorption function,  
a covering layer laminated in a releasable manner on one side of the adhesive layer, wherein the covering material is 25 - 120  $\mu\text{m}$ , and  
a plurality of tear off cutting lines formed in both of the tape type support and said covering layer along a direction crossing a longitudinal direction of the tape patch, said tape patch having a pair of side edges,  
wherein the tear off cutting lines are located at position so as to extend through the tape type support and the adhesive layer,  
wherein the tear off cutting lines are in a direction perpendicular relative to the one side surface of the tape type support, and the position of the tear off cutting lines provided in the support layer are substantially identical to that of the tear off cutting lines provided in the covering layer in the direction perpendicular relative to the one side surface of the tape support; and  
wherein tear off cutting lines consist of perforation slits, with a slit width of 1.0 - 2.0 mm and a slit spacing of 1.0 - 1.5 mm, and the breaking strength when the external patch is torn off at the slits is 7.36 - 15.24 kgf/48 mm width.